





WeldSaver™

Product Configuration Form

Product Series Both product series offer the same graphical user interface, functional capabilities, performance characteristics, and flow ranges: › Shutoff valve: 6.0–50 LPM / 1.5–13 GPM › eVac module: 15–50 LPM / 4.0–13 GPM	WeldSaver 5 Passport - Local display		WeldSaver 6 Passport - Local display & keypad controls		
	Shutoff Valve 	eVac Module 	Shutoff Valve 	eVac Module 	
SELECT OPTIONS BELOW					
Valve Option	Shutoff Valve (please specify): ▶				
	eVac™ Coolant Retraction Module (integrated 3-way pneumatic valve; BSPP (G) 3/4" female fittings only)				
Water Fittings	BSPP (G) 3/4" female	NPT 3/4" female	NPT 3/4" male		
Number of Power Ports	Single Port	Auxiliary Power Port (pass-through)			
Number of Network Ports	Single Port	Dual Ports			
Network Interface	EtherNet/IP™	PROFINET®			
	Other (please enter details): ▶				
Default IP Address(es)	Primary IP Address: ▶				
	Secondary IP Address: ▶				
Network Protocol	HTTP	HTTPS			
Firmware/Bitmap Version	Standard	Other (please specify):			
Temperature Measurement	Yes	No			
Units of Measure	LPM / °C	GPM / °F			
Flow Parameters	Default Value	Custom Value (please specify)			
	Flow Warning Trip Point	11.4 LPM / 3.0 GPM			
Flow Fault Trip Point	7.6 LPM / 2.0 GPM				
Primary Leak Detection	Normal	Slowest	Slow	Fast	Fastest
Secondary Leak Detection	3.8 LPM / 1.0 GPM				
Secondary Leak Delay	4000 msec				
Stabilization Delay	4 sec	1 sec	2 sec	6 sec	8 sec
Other Requirements/Requests					
Quantity to be Quoted	1	Other (please specify):			

NAME: _____
 EMAIL: _____
 PHONE: _____

TITLE: _____
 DIVISION: _____
 COMPANY: _____

Please send this completed form to WeldSaver Applications Support at weldsaver@proteusind.com.



Proteus Industries Inc.
 340 Pioneer Way, Mountain View, CA 94041
 Tel: (650) 964-4163 Fax: (650) 965-0304
www.proteusind.com sales@proteusind.com

Information in this document was correct at the time of printing; however, specifications are subject to change as Proteus Industries' continuous improvement processes establish new capabilities.
 © Proteus Industries Inc. All rights reserved. All other company and product names may be trademarks of their respective companies.